

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 05/03/01

Date Received: 04/19/01

Project: Metro Self Monitor, PO# M65821

Date Extracted: 4/20/01

Date Analyzed: 4/27/01

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR TOTAL METALS BY
INDUCTIVELY COUPLED PLASMA (ICP)
(METHOD 6010)**

Results Reported as mg/L (ppm)

<u>Sample ID</u> Laboratory ID	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M65821 104080-01	0.68	0.36	0.31	<0.05
Method Blank	<0.05	<0.05	<0.05	<0.05

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 05/03/01

Date Received: 04/19/01

Project: Metro Self Monitor, PO# M65821

QUALITY ASSURANCE RESULTS FROM TOTAL METALS BY INDUCTIVELY COUPLED PLASMA (ICP) (METHOD 6010)

Laboratory Code: 104080-01 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	Relative Percent Difference	Acceptance Criteria
Chromium	mg/L (ppm)	0.68	0.69	1	0-20
Copper	mg/L (ppm)	0.36	0.37	3	0-20
Nickel	mg/L (ppm)	0.31	0.32	3	0-20
Zinc	mg/L (ppm)	<0.05	<0.05	nm	0-20

Laboratory Code: 104080-01 (Matrix Spike)

Analyte	Reporting Units	Spike Level	Sample Result	% Recovery MS	% Recovery MSD	Acceptance Criteria	RPD (Lim 20)
Chromium	mg/L (ppm)	5	0.68	96	99	80-120	3
Copper	mg/L (ppm)	5	0.36	92	94	80-120	2
Nickel	mg/L (ppm)	10	0.31	101	104	80-120	3
Zinc	mg/L (ppm)	5	<0.05	106	109	80-120	3

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	% Recovery LCS	% Recovery LCSD	Acceptance Criteria	RPD (Limit 20)
Chromium	mg/L (ppm)	50	96	97	80-120	1
Copper	mg/L (ppm)	50	96	98	80-120	2
Nickel	mg/L (ppm)	100	101	101	80-120	0
Zinc	mg/L (ppm)	50	102	104	80-120	2

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

SAMPLE CHAIN OF CUSTODY

104080 BI, KT

Send Report To Gerald A. Thompson
 Company Alaskan Copper works
 Address 628 S. Harbor St
 City, State, ZIP Seattle WA 98134
 Phone # 206-382-8779 Fax # 206-382-9209

SAMPLERS (signature) <u>[Signature]</u>	
PROJECT NAME/NO. <u>meteo self monitor</u>	PO # <u>m65821</u>
REMARKS	

Page # _____ of _____
TURNAROUND TIME <input type="checkbox"/> Standard (2 Weeks) <input type="checkbox"/> RUSH _____ Rush charges authorized by: _____
SAMPLE DISPOSAL <input type="checkbox"/> Dispose after 30 days <input type="checkbox"/> Return samples <input type="checkbox"/> Will call with instructions

Sample ID	Lab ID	Date Sampled	Time Sampled	Sample Type	# of containers	ANALYSES REQUESTED										Notes
						TPH-Diesel	TPH-Gasoline	BTEX by 8021B	VOCs by 8260	SVOCs by 8270	HFS	CE	CU	NI	Zn	
m65821		4/19	12:30	H ₂ O	1							✓				

Friedman & Bruya, Inc.
 3012 16th Avenue West
 Seattle, WA 98119-2029
 Ph. (206) 285-8282
 Fax (206) 283-5044

SIGNATURE	PRINT NAME	COMPANY	DATE	TIME
Relinquished by: <u>[Signature]</u>	<u>Gerald A. Thompson</u>	<u>Aew</u>	<u>4/19/01</u>	<u>1:20</u>
Received by: <u>[Signature]</u>	<u>Michael Erdahl</u>	<u>FBI</u>	<u>4/19/01</u>	<u>2:20</u>
Relinquished by:				
Received by:				

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Jensen, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

May 3, 2001

DUPLICATE COPY

INVOICE # 01ACU0503-1

Accounts Payable
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

RE: Project Metro Self Monitor, PO# M65821 - Results of testing requested by
Gerry Thompson for material submitted on April 19, 2001.

1 sample analyzed for Total Chromium, Copper, Nickel and Zinc by Method 6010B @ \$80 per sample	<u>\$ 80.00</u>
Amount Due	\$ 80.00

FEDERAL TAX ID (b) (6)

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Jensen, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

May 3, 2001

Gerry Thompson, Project Manager
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134


Dear Mr. Thompson:

Included are the results from the testing of material submitted on April 19, 2001 from your Metro Self Monitor, PO# M65821 project. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Kate Trafton
Project Manager

Enclosures
ACU0503R.DOC